





FAQs

Catalogue of Requirements for Skin Cancer Centres

of the German Cancer Society (Deutsche Krebsgesellschaft - DKG)

Chair of the Certification Commission: Prof. Dr. Carmen Loquai, Prof. Dr. Ralf Gutzmer

Within the framework of the certification procedure, questions regularly crop up which require an explanation of the Technical and Medical Requirements. This document contains answers to the questions which the centres can refer to when implementing, and the experts can refer to when assessing the Technical and Medical Requirements.

Version FAQs and Catalogue of Requirements (CR)

Version status FAQ: 14.09.2023

The FAQs in this document refer to the following documents which are now in force:

Catalogue of Requirement Skin	Version K1	14.09.2023
Indicator Sheet Skin	Version K1.1	14.09.2023



Overview of the FAQ's

Catalogue of Requirements

Section CR		Requirement	Last update
1.1 Structure of the network	1.1.1 c	Cooperation agreements	29.05.2017
1.1 Structure of the network	1.1.3	Primary cases	17.08.2020
1.2 Interdisciplinary cooperation	1.2.1 b	Participants in the skin tumour board	05.03.2019
1.2 Interdisciplinary cooperation	1.2.1 g	Tumour board	13.06.2017
	1.2.1 h		
1.2 Interdisciplinary cooperation	1.2.4.a	Therapy conduct/recommendation	24.03.2023
	1.2.4.b		
1.4 Psycho-oncology	1.4.1	Psycho-oncology – Qualifications	24.10.2018
1.4 Psycho-oncology	1.4.2	Psycho-oncology – Offer and access	12.06.2017
1.4 Psycho-oncology	1.4.7	Documentation and evaluation	28.08.2023
1.5 Social work and rehabilitation	1.5.3	Offer and access	12.06.2017
1.7 Study management	1.7.5	Share study patients	16.08.2022
1.8 Nursing Care	1.8.1	Specialist oncology nurses	26.03.2019
1.8 Nursing Care	1.8.2	Subject-specific, nursing, patient-related	24.03.2023
		tasks for example:	
2.1 Consultation hour	2.1.1	Information / dialogue with patient	12.06.2017
2.1 Consultation hour	2.1.4	Waiting times	14.07.2016
6.2 Organ-specific systemic therapy	6.2.2	Specialist nurse/ specialist medical assis-	14.07.2016
		tant	
6.2 Organ-specific systemic therapy	6.2.3	Qualifications of treatment unit/partner	24.03.2023
6.2 Organ-specific systemic therapy	6.2.9	Standards comorbidities and secondary	14.07.2016
		diseases	
6.2 Organ-specific systemic therapy	6.2.13	Information/dialogue with the patient	12.06.2017
8. Pathology	8.6	Procedures that must be available	11.03.2021
8. Pathology	8.12	Lymph nodes (LN)	14.07.2016
Palliative care and hospice care	9.1	Palliative care	22.08.2016
10. Tumour documentation /	10.4	Cooperation with cancer registry	13.07.2017
Outcome quality			
10. Tumour documentation /	10.6	Provision of resources	24.03.2023
Outcome quality			

Indicator Sheet

	Indictaor	Last update
Basic data	Examples	12.06.2017
6	Melanoma: Proportion of study pat.	23.11.2021
7	Sentinel node biopsy	26.03.2019
8	Surgical interventions with LL-defined safety distance	20.09.2017
	(= Malignant melanomas, Merkel cell carcinomas, sarcomas and other rare, ma-	
	lignant skin tumours)	
9	Surgical procedures with histological margin control	20.09.2017
	(= Epithelial tumours)	
11	Revision operations for post-operative bleeding after SNB and LAD	01.08.2016
12	Revision surgery after postoperative wound infections	01.08.2016
13	Melanoma: sentinel node biopsy	14.07.2016
Matrix	Presentation Follow-Up	11.03.2021



1.1 Structure of the network

Sec-	Requirements	Explanations of the Skin Cancer Centre
tion	Requirements	Explanations of the Skin Cancel Centre
1.1.1 c	Cooperation partners (external cooperation also possible) Mandatory The names of at least 1 representative from OMS, ENT and/or plastic surgery Nuclear medicine Neurosurgery Pathology Surgery (general and/or visceral) Psycho-oncology Social work Self-help associations Pastoral care Palliative network	FAQ (29.05.2017) Is it sufficient that 1 of the 3 specialties OMS, ORL and plastic surgery is an obligatory cooperation partner? Response: Yes, is sufficient. At least 1 representative from OMS and/or ENT and/or plastic surgery.
	 Optional Dermatohistology Urology Ear, nose and throat medicine Oral and maxillofacial surgery Genetic counselling (inter alia familial melanomas, Gorlin-Goltz syndrome, XP) Laboratory (with interlaboratory experiment certificate) Plastic surgery Thoracic surgery Gynaecology 	
1.1.3	Primary cases	FAQ (29.05.2017)
	 Cases with malignant epithelial tumours (excl. in situ tumours) for each year: ≥ 100 patients (details Data Sheet) Cases with invasive malignant melanoma for each year: ≥ 40 patients (details Data Sheet) Cases with cutaneous lymphoma and rare malignant skin tumours (angiosarcoma, Merkel, DFSP) 	Generally, no histological confirmation is performed for choroidal melanomas. Can these still be counted as primary cases? Answer: Yes, choroidal melanomas can be counted as primary cases even if there is no histological confirmation.
	 are recorded in the Data Sheet. Definition primary case: Patients (not stays and not surgical interventions, not aftercare patients, not recurrences) newly diagnosed with skin cancer during the calendar year A second tumour of another entity that presented during the calendar year is recorded as another primary case. Histopathology report must be available. Case can only be counted for 1 centre Therapy planning (interdisciplinary tumour board) and therapy conduct through the Centre (main therapy). 	FAQ (17.08.2020) Can these tumours be counted as primary cases under indicator 1.3? ICD - Localisation + Histology - Code: C44 - C44 - 8407/3 Microcystic carcinoma of the skin adnexa C46 - C44 - 9140/3 Kaposi's sarcoma C49 - C44 - 8890/3 Leiomyosarcoma C49 - C44 - 8810/3 Fibrosarcoma o.n.a. C49 - C44 - 8802/3 Dermal superficial pleomorphic sarcoma C49 - C44 - 8811/3 Myxofibrosarcoma C49 - C44 - 8854/3 Pleomorphic liposarcoma C49 - C44 - 8890/3 Cutaneous leiomyosarcoma C49 - C44 - 9120/3 Angiosarcoma cutaneous



Sec-	Requirements	Explanations of the Skin Cancer Centre	
tion	·	·	
	Exception: In the treatment of cutaneous lymphomas/sarcomas and cooperation with a corresponding certified centre or module, primary or patient cases can be counted for both partners. In a cooperation agreement or SOP, it must be defined which treatment sections are provided by which cooperation partner. The cooperating centres must be named. The time of counting is the time of the histolopathological confirmation of diagnosis Data Sheet (= Excel template)	C63.2 - C44 - 8542/3 extram. M Paget C82.6 - C44 - Cutaneous follicular centre lymphoma - M9597/3 Primary cutaneous follicular centre lymphoma C83.0 - C44 - Small B-cell lymphoma - M9699/3 Marginal zone B-cell lymphoma o.n.a. C83.3 - C44 - Diffuse large B-cell lymphoma - M9680/3 Diffuse large B-cell lymphoma n.e.c. C84.0 - C44 - Mycosis fungoides [MF] - M9700/3 Mycosis fungoides C84.8 - C44 - Cutaneous T-cell lymphoma, unspecified - M9709/3 Cutaneous T-cell lymphoma C85.1 - C44 - B-cell lymphoma, unspecified - M9699/3 Marginal zone B-cell lymphoma o.n.a. C86.6 - C44 - Primary cutaneous CD30-positive T-cell proliferation - M9718/3 Lymphomatoid papulosis	
		Answer: Yes, the listed tumours can be counted for indicator 1.3. FAQ (24.03.2023) Can anal cancer also be counted as an epithelial tumour? Answer: Anal cancers only count for the Skin Cancer Centre if they are not counted in parallel for the certified Anal Cancer Centre (no double counting).	

1.2 Interdisciplinary cooperation

Sec-	Requirements	Explanatory remarks by the Skin Cancer Centre	
tion.			
1.2.1	Participants in the skin tumour board	FAQ (14.07.2016)	
b)	cialists in the tumour board is mandatory and to be documented in a list of participants: • Dermatologist	Deviation if the participation rate falls below 80% per subject area.	
	Radiologist	FAQ (05.03.2019)	
	Radiotherapist	Which specialist discipline is meant by surgeon?	
	Surgeon (organ-specific/oncological)	Answer:	
	Internal oncologist	The specialist discipline that operates on the tu- mour, the lymph nodes and/or the metastases	
	If the internal oncologist cannot participate in the conference, he /she may in exceptional cases be represented by the specialist responsible for the chemotherapy (qualification according to section 6.2).	(e.g. dermatosurgeon).	
g)	Tumour board	FAQ (13.06.2017)	
	Irrespective of the stage and tumour entity, the	Table templates for clear patient histories can be	
	following are to be presented:	created (e.g. differentiation into "standard" and	
	All problem cases	"discussion").	

1.2 Interdisciplinary cooperation

Sec-	Requirements	Explanatory remarks by the Skin Cancer Centre	
tion.			
	 All patients with an interdisciplinary issue Switch in therapy with deviation from specified treatment pathways 		
	The presentation of the remaining patients in the specialised consultation hours/tumour boards is to be defined via binding internal SOPs.		
1.2.1. h	In principle, patients with the following conditions are to be presented: • Malignant melanoma from stage IIB, • Malignant melanoma and stage shift/recurrence • Extracutaneous melanoma		
	 Cutaneous lymphoma from stage IB Problem cases with malignant, epithelial tumours (BCC, SCC) with an interdisciplinary issue: for instance complicated localisation, spread/infiltration (e.g. <i>Ulcus rodens</i>, <i>Ulcus terebrans</i>), metastasised tumours, immunosuppressed patients All rare malignant skin tumours (<i>inter alia</i> Merkel carcinoma, DFSP, MFH, leiomyosarcomas, Kaposi's sarcoma, angiosarcoma): irrespective of the stage 		
1.2.4. a		FAQ (24/03/2023) If the recommended therapy is rejected due to the patient's wishes, is it necessary to present the patient again at the tumour board?	
1.2.4. b	Documented stating of reasons:	Answer: No, not in principle. The rejection of a therapy must be documented. The tumour board must be informed of the rejection of the treatment recommendation and, if necessary, a new treatment recommendation based on the patient's preference must be made in the tumour board.	

1.4 Psycho-oncology

Sec-	Requirements	Explanations of the Skin Cancer Centre	
tion			
1.4.1	Psycho-oncology qualifications	FAQ (24.10.2018)	
	 Graduate psychologists/ Master's degree in psychology qualifying for a scientifically recognised psychotherapy procedure, or Doctors of human medicine, Diploma/ Master in Social Pedagogy qualifying for a scientifically recognised psychother- 	Can the continuing education programme "Systemic Therapist" be accepted as psychotherapeutic continuing education? Answer: The further training "Systemic Therapy" can be	
	apy procedure. each with at least 1 psychotherapeutic further training: behavioural therapy, psychodynamic psychotherapy (analytical psychotherapy and	accepted.	

1.4 Psycho-oncology

Sec-	Requirements	Explanations of the Skin Cancer Centre
tion	Kequilements	Explanations of the Skin Cancer Centre
	depth psychology-based psychotherapy), systemic therapy, neuropsychological therapy (for mental disorders caused by brain injuries), interpersonal therapy (IPT; for affective disorders and eating disorders), EMDR for the treatment of post-traumatic stress disorders, hypnotherapy for addictive disorders and for psychotherapeutic cotreatment of somatic illnesses and psycho-oncological training (DKG-recognised).	
	Licensing: At least 1 person in the psycho-oncological team of the network (inpatient or outpatient) must be licensed (psychological or medical psychotherapist).	
	Protection of the status quo for all those who are currently approved as well as those who have started a DKG-approved psycho-oncological further training by 31.12.2019.	
	The representatives of other psychosocial professional groups can be approved on presentation of the above-mentioned additional qualifications. This requires a case-by-case assessment.	
1.4.2	Psycho-oncology – Offer and access Each patient must be offered the option of psy- cho-oncological counselling in a timely manner in the vicinity (proof required). The offer must be made in a low-threshold manner.	FAQ (12.06.2017) Does proof have to be provided for each patient that the possibility of a psycho-oncological consultation was offered? Answer:
		No, the implementation of the process is to be proven.
1.4.7	Documentation and evaluation To identify the need for treatment, it is necessary to carry out a screening on psychological stress (see indicator "psycho-oncological distress-screening") and document the result. The proportion of patients with excessive stress in the distress screening should be presented. Screening should be conducted for patients with melanoma (from stage IIB) and recurrence/remote metastases Psycho-oncological counselling Psycho-oncological care, in particular for patients with excessive stress in the distress screening, must be presented.	FAQ (21.07.2016) Can an on-site contact replace the screening? Answer: No. To identify the need for treatment, it is necessary to carry out a standardised screening on psychological stress (see S3 guideline Psychoon-cology: e.g. Distress Thermometer or HADS) and to document the result. FAQ (28.08.2023) How should the proportion of patients with excessive distress in distress screening and further psycho-oncological care be presented? Answer: The number of screened patients who have shown an excessive test should be described. The processes of psycho-oncological care should be described; the number of counselling sessions carried out should be recorded.



1.4 Psycho-oncology

Sec- tion	Requirements	Explanations of the Skin Cancer Centre	
lion			
		A separate FAQ document on psycho-oncology (Catalogue of Requirement and Indicators) is expected to be published in early 2024.	

1.5. Social work and rehabilitation

Sec-	Requirements	Explanations of the Skin Cancer Centre	
tion.			
1.5.3	Offer and access Every patient must be offered the possibility of counselling by the social service in all phases of	FAQ (12.06.2017) Does proof have to be presented for each patient that the possibility of counselling by the social	
	the disease, locally and promptly (proof required). The offer must never be made in a threshold	service was offered?	
	manner.	Answer:	
		No, the implementation of the process is to be	
		proven.	

1.7 Study management

Sec-	Requirements	Explanations of the Skin Cancer Centre	
tion			
1.7.5	Share study patients (malignant melanoma	FAQ (13.06.2017)	
	stages III-IV).	May register studies with an ethical vote also be	
		counted?	
	1. Initial certification:		
	At the time of initial certification ≥ 1 patients must	Answer:	
	have been included in studies.	Yes. ADOREG documentation can also count to-	
		wards the study quota.	
	2. After 1 year:	ν το	
	The names of at least 5% of patients should be	FAQ (16.08.2022)	
	included in studies.	Can negatively screened study patients be	
	morado moradico.	counted?	
	All study patients can be taken into account when	ocumou.	
	calculating the study rate.	Answer:	
	Only the inclusion of patients in studies with an	Patients who have signed an informed consent	
	ethical vote counts as study participation.	form for screening for study participation can be	
	Exclusive biobank collections are excluded.	counted for the numerator of the respective study	
	Exclusive biobalik collections are excluded.		
	Data Obaat (Freel to malata)	indicator, even if study participation of the patient	
	Data Sheet (= Excel template)	is not possible due to the results of screening ex-	
		aminations performed with special diagnostics	
		(no routine diagnostics).	

1.8 Nursing Care

Sec- tion	Requirements	Explanations of the Skin Cancer Centre	
1.8.1	 Specialist oncology nurses At least 1 specialist oncological nurse must be actively employed on day duty in the Skin Cancer Centre. The names of specialist oncology nurses are to be provided. 	FAQ (26.03.2019) "Active in day shift" means no deployment in night shift.	

1.8 Nursing Care

Sec-	Requirements	Explanations of the Skin Cancer Centre	
tion			
1.8.2	Subject-specific, nursing, patient-related tasks for example: Initiation of and participation in multiprofessional case discussions / nursing visits; the aim is to find solutions in complex nursing situations; Criteria for selecting patients should be defined; At least 12 case reviews / nursing	FAQ (24.03.2023) Do 12 case reviews and 12 care visits have to be completed, or a total of 12 per year? Answer: A total of at least 12 case reviews/care visits per year must be demonstrated.	
	visits per year and per center must be proven		

2 Organ-specific diagnostics

2.1 Consulting hours

Sec-	Requirements	Explanatory remarks by the Skin Cancer Centre
tion.	'	
2.1.1	Information/dialogue with the patient Adequate information on diagnosis, prognosis and treatment planning must be provided in ac- cordance with the current state of medical knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy, aftercare and self-examination Possibility of participating in clinical studies Presentation of further treatment concepts Offer and sourcing of psychosocial Offer and sourcing of second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented for each pa- tient in medical reports and minutes/records.	FAQ (12.06.2017) Is it compulsory for every patient to be offered a second opinion? Answer: No, it does not have to be offered to all patients.
2.1.4	Waiting times How long are the waiting times during the consulting hours: < 60 min target for an appointment for first presentation (melanoma, lymphoma, rare, highly malignant skin tumours): < 2 weeks All other tumours: < 4 weeks for an appointment for an outpatient, instrument-based examination (no aftercare patients): < 2 weeks The waiting times are to be recorded in a representative random sample and statistically evaluated once a year.	FAQ (14.07.2016) Is the waiting time "Appointment for an outpatient, apparative examination (not a follow-up pat.)" only for emergency patients? Answer: No.

6.2 Organ-specific systemic therapy

6.2.2 Specialist nurse/ specialist medical assistantrequirements for the nurse who administers chemotherapy according to a doctor's instructions: • nursing counselling and/or education of the patient is to be documented. 6.2.3. Qualifications of treatment unipartner In the case of skin tumour patients: Every year at least 50 systemic therapeuics and/or anticoagulant/immune therapeuics of systemic/cytostatic/targeted therapy for each patient (consisting of several cycles or applications, combination therapies count as one therapy). In the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic therapies • Conduct of systemic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapeus of which at least 15 cytostatic/targeted in skin tumour patients in a medical centre or a multidisciplinary systemic therapeus of which at least 15 cytostatic/targeted in skin tumour patients in a medical centre or a multidisciplinary systemic therapeus of which at least 15 cytostatic/targeted in skin tumour patients in a medical centre or a multidisciplinary systemic therapeus of which at least 15 cytostatic/targeted in skin tumour patients in a medical centre or a multidisciplinary systemic therapeus of which at least 15 cytostatic/targeted in skin tumour patients in a medical centre or a multidisciplinary systemic therapeus of the treatment of comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, suffi	Sec-	Requirements	Explanatory remarks by the Skin Cancer Centre
Specialist nurse/ specialist medical assistant		Requirements	Explanatory formative by the Okin Gamoor Control
requirements for the nurse who administers chemotherapy according to a doctor's instructions: • nursing counselling and/or education of the patient is to be documented. 6.2.3. Qualifications of treatment unitipartner In the case of skin tumour patients: Every year at least 50 systemic therapeuics and/or anticoagulant/immune therapeus. Calculation method: systemic/cytostatic/argeted therapy for each patient (consisting of several cycles or applications, combination therapies count as one therapy) in the case of cross-year therapeis, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted therapes of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information shout preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of p		Specialist nurse/ specialist medical assistant	FAQ (14 07 2016)
chemotherapy according to a doctor's instructions: • nursing counselling and/or education of the patient is to be documented. 6.2.3. Qualifications of treatment unit/partner in the case of skin tumour patients: Every year at least 50 systemic therapies (cytostatic therapies and/or targeted therapeutics and/or anticoagulant/immune therapies). Calculation method: systemic/cytostatic/targeted therapy for each patient (consisting of several cycles or applications, combination therapies count as one therapy) in the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic therapies of which at least 15 cytostatic/targeted in the patient. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases, infections and thromboembolic complications. Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer of and aid in obtaining second opinions • A general description is to be given of the way in which information is to be documented	0.2.2		
tions:			
• nursing counselling and/or education of the patient is to be documented. 6.2.3. Qualifications of treatment unit/partner in the case of skin turnour patients: Every year at least 50 systemic therapies (cytostatic therapies and/or anticoagulant/immune therapies). Calculation method: systemic/cytostatic/targeted therapy for each patient (consisting of several cycles or applications, combination therapies count as one therapy) in the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin turnour patients in a medical centre or a multidisciplinary systemic therapyetal or an interapy for skin turnour patients in a medical centre or a multidisciplinary systemic therapyetal or skin turnour patients in a medical centre or a multidisciplinary systemic therapy to restrict the patient of the treatment of comorbidities and secondary diseases Standards and thromboembolic complications. 6.2.9 Standards comorbidities and secondary diseases Standards and thromboembolic complications. 6.2.10 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer and sourcing of psychosocial care • Offer of and aid in obtaining second opinions • A general description is to be documented		, ,	Answer:
Pursing counselling and/or education of the patient is to be documented. 6.2.3. Qualifications of treatment unit/partner In the case of skin tumour patients: Every year at least 50 systemic therapies (cytostatic therapies 50 systemic therapies). Calculation method: systemic/cytostatic/targeted therapy for each patient (consisting of several cycles or applications, combination therapies count as one therapy). In the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with rreatment partners where there is no proof of competence: Haematology/Oncology: Documentation of 200 cross-organ cytostatic/targeted therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapetic unit: 200 cross-organ cytostatic/targeted therapy and therapy the therapy and thromboembolic complications. 6.2.9 Standards comorbidities and secondary diseases, Standards are to be drawn up for the treatment of comorbidities and secondary diseases, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented		•	
6.2.3. Qualifications of treatment unit/partner In the case of skin tumour patients: Every year at least 50 systemic therapies (cytostatic therapies and/or targeted therapeutics and/or anticoagulant/immune therapies). Calculation method: systemic/cytostatic/targeted therapy for each patient (consisting of several cycles or applications, combination therapies count as one therapy) in the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin tumour patients in a medical centre or a multidisciplinary systemic therapyer of skin tumour patients in a medical centre or a multidisciplinary systemic therapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: • Information consultation about preventive health care, diagnosis, prognosis, therapy and affercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer and and in obtaining second opinions • A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented		• nursing counselling and/or education of the	mac domand.
6.2.3. Qualifications of treatment unit/partner In the case of skin tumour patients: Every year at least 50 systemic therapies (cytostatic therapies and/or anticoagulant/immune therapies). Calculation method: systemic/cytostatic/fargeted therapy for each patient (consisting of several cycles or applications, combination therapies count as one therapy) In the case of cross-year therapies, the therapy Commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapeus of which at least 15 cytostatic/dargeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of parawasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer and sourcing of psychosocial care • Offer and sourcing of psychosocial care • Offer of and aid in obtaining second opinions • A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
In the case of skin tumour patients: Every year at least 50 systemic therapies (cytostatic therapies and/or targeted therapeutics and/or anticoagulant/immune therapies). Calculation method: systemic/cytostatic/targeted therapy for each patient (consisting of several cycles or applications, combination therapies count as one therapy) In the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic/targeted therapy. • Conduct of systemic therapeutic unit: 200 cross-organ cytostatic/targeted in skin tumour patients in a medical centre or a multidisciplinary systemic therapeutic unit: 200 cross-organ cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases. Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information consultation about preventive health care, diagnosis, prognosis and therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer of and aid in obtaining second opinions • A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented	6.2.3.		FAQ (24/03/2023)
Every year at least 50 systemic therapies (cytostatic therapies and/or anticoagulant/immune therapies). Calculation method: systemic/cytostatic/targeted therapeutics and/or of several cycles or applications, combination therapies count as one therapy) In the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: Haematology/Oncology: Documentation of 200 cross-organ cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer of and sold in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented		'	
static therapies and/or targeted therapeutics and/or anticoagulant/immune therapies). Calculation method: systemic/cytostatic/targeted therapy for each patient (consisting of several cycles or applications, combination therapies cont as one therapy) in the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer and aid in obtaining second opinions • A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented		In the case of skin tumour patients:	sumab therapy be counted as systemic therapy?
and/or anticoagulant/immune therapies). Calculation method: systemic/cytostatic/targeted therapy for each patient (consisting of several cycles or applications, combination therapies count as one therapy). In the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted trapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer and sourcing of psychosocial care • Offer of and aid in obtaining second opinions • A general description is to be given of the way in which information capital in the dialogue organised. This is to be documented		Every year at least 50 systemic therapies (cyto-	
Calculation method: systemic/cytostatic/targeted therapy for each patient (consisting of several cycles or applications, combination therapies count as one therapy). In the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapeut cunit: 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted therapies of which at l		static therapies and/or targeted therapeutics	Answer:
Calculation method: systemic/cytostatic/targeted therapy for each patient (consisting of several cycles or applications, combination therapies count as one therapy). In the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapeut cunit: 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted therapies of which at l			Osteoprotective therapies alone, such as deno-
Calculation method: systemic/cytostatic/targeted therapy for each patient (consisting of several cycles or applications, combination therapies count as one therapy) In the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic therapies of which at least 15 cytostatic/targeted therapies of which at least 15 cytostatic/targeted therapes of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer and aud in obtaining second opinions • A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
systemic/cytostatic/targeted therapy for each patient (consisting of several cycles or applications, combination therapies count as one therapy) In the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic therapies of which at least 15 cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes <i>inter alia</i> : • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer of and aid in obtaining second opinions • A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented		Calculation method:	
tient (consisting of several cycles or applications, combination therapies count as one therapy) In the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic therapies • Conduct of systemic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapeutic unit: 200 cross-organ cytostatic/targeted thrapies of which at least 15 cytostatic/targeted thrapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer and aud in obtaining second opinions • A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
combination therapies count as one therapy) In the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ eytostatic therapies • Conduct of systemic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapeutic unit: 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particu- lar for the treatment of parawasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer and axid in obtaining second opinions • A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
In the case of cross-year therapies, the therapy commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic therapies • Conduct of systemic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapeutic unit: 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer and adid in obtaining second opinions • A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
commenced in the survey year counts. Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic therapies • Conduct of systemic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapeutic unit: 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. FAQ (14.07.2016) Instead of producing the standards and SOPs, some centres refer to the "blue book" of the Cancer Aid. Should we, as reviewers, recognise this as sufficient? Answer: No, not enough. FAQ (14.07.2016) Instead of producing the standards and SOPs, some centres refer to the "blue book" of the Cancer Aid. Should we, as reviewers, recognise this as sufficient? Answer: No, not enough. FAQ (14.07.2016) Instead of producing the standards and SOPs, some centres refer to the "blue book" of the Cancer Aid. Should we, as reviewers, recognise this as sufficient? Answer: No, not enough. FAQ (12.06.2017) Is it compulsory for every patient to be offered a second opinion? Answer: No, it does not have to be offered to all patients. Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
Possible cooperation with treatment partners where there is no proof of competence: • Haematology/Oncology: Documentation of 200 cross-organ cytostatic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapeutic unit: 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. FAQ (14.07.2016) Instead of producing the standards and SOPs, some centres refer to the "blue book" of the Cancer Aid. Should we, as reviewers, recognise this as sufficient? Answer: No, not enough. FAQ (12.06.2017) Is it compulsory for every patient to be offered a second opinion? Answer: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
where there is no proof of competence: Haematology/Oncology: Documentation of 200 cross-organ cytostatic therapies Conduct of systemic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapeutic unit: 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. Standards comorbidities and secondary diseases standards comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. FAQ (14.07.2016) Instead of producing the standards and SOPs, some centres refer to the "blue book" of the Cancer Aid. Should we, as reviewers, recognise this as sufficient? Answer: No, not enough. FAQ (12.06.2017) Is it compulsory for every patient to be offered a second opinion? Answer: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented		, , , , , , , , , , , , , , , , , , , ,	
where there is no proof of competence: Haematology/Oncology: Documentation of 200 cross-organ cytostatic therapies Conduct of systemic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapeutic unit: 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. Standards comorbidities and secondary diseases standards comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. FAQ (14.07.2016) Instead of producing the standards and SOPs, some centres refer to the "blue book" of the Cancer Aid. Should we, as reviewers, recognise this as sufficient? Answer: No, not enough. FAQ (12.06.2017) Is it compulsory for every patient to be offered a second opinion? Answer: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented		Possible cooperation with treatment partners	
Haematology/Oncology: Documentation of 200 cross-organ cytostatic therapies Conduct of systemic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapeutic unit: 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes <i>inter alia</i> : • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer of and aid in obtaining second opinions • A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
200 cross-organ cytostatic therapies Conduct of systemic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapeutic unit: 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
Conduct of systemic therapy for skin tumour patients in a medical centre or a multidisciplinary systemic therapeutic unit: 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
patients in a medical centre or a multidisciplinary systemic therapeutic unit: 200 cross-organ cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer and sourcing of psychosocial care • Offer of and aid in obtaining second opinions • A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
nary systemic therapeutic unit: 200 cross-organ cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer and sourcing of psychosocial care • Offer of and aid in obtaining second opinions • A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
gan cytostatic/targeted therapies of which at least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer and sourcing of psychosocial care • Offer of and aid in obtaining second opinions • A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
least 15 cytostatic/targeted in skin tumour patients. The head of this unit bears the main responsibility for the therapy. Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
tients. The head of this unit bears the main responsibility for the therapy. 6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: • Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare • Possibility of participating in clinical studies • Presentation of alternative treatment concepts • Offer and sourcing of psychosocial care • Offer of and aid in obtaining second opinions • A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
6.2.9 Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
Standards comorbidities and secondary diseases Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. 6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
Standards are to be drawn up for the treatment of comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented	629		FAO (14 07 2016)
comorbidities and secondary diseases, in particular for the treatment of paravasates, infections and thromboembolic complications. Some centres refer to the "blue book" of the Cancer Aid. Should we, as reviewers, recognise this as sufficient? Answer: No, not enough. FAQ (12.06.2017) Is it compulsory for every patient to be offered a second opinion? Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented	0.2.0		
lar for the treatment of paravasates, infections and thromboembolic complications. Cer Aid. Should we, as reviewers, recognise this as sufficient? Answer: No, not enough. FAQ (12.06.2017) With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
and thromboembolic complications. as sufficient? Answer: No, not enough. FAQ (12.06.2017) With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented		and unombodinbolic complications.	as sumoient:
6.2.13 Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			Answer:
Information/dialogue with the patient With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented FAQ (12.06.2017) Is it compulsory for every patient to be offered a second opinion? Answer: No, it does not have to be offered to all patients. No, it does n			
With regard to diagnosis, prognosis and therapy planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented	6.2.13	Information/dialogue with the patient	
planning, sufficient information is to be provided about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
about the current medical level of knowledge. This includes inter alia: Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
This includes <i>inter alia</i> : Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			'
 Information consultation about preventive health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented 			Answer:
health care, diagnosis, prognosis, therapy and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
 and aftercare Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented 			,
 Possibility of participating in clinical studies Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented 			
 Presentation of alternative treatment concepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented 			
 cepts Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented 			
 Offer and sourcing of psychosocial care Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented 			
 Offer of and aid in obtaining second opinions A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented 			
A general description is to be given of the way in which information is provided and the dialogue organised. This is to be documented			
way in which information is provided and the dialogue organised. This is to be documented			
dialogue organised. This is to be documented			
	or so l/ for		(Vers. L: 14.09.2023) Page 9 of 16

6.2 Organ-specific systemic therapy

Sec-	Requirements	Explanatory remarks by the Skin Cancer Centre	
tion			
	for each patient in medical reports and		
	minutes/records		

8 Pathology

Sec- tion	Requirements	Explanatory remarks by the Skin Cancer Centre
	 Dermatohistological/pathological experience Every year at least 250 histologies of malignant skin tumours (not only primary cases) Assessment of lymph nodes (all tumour entities): Every year at least 100 histologies of lymph nodes (After a lymphadenectomy (LAD) the lymph nodes must be examined by a pathology specialist. If necessary, this can also be done within the framework of a second diagnosis by a specialist in dermatology with an additional qualification in dermatohistology. Sentinel for skin tumours: Assessment by dermatology specialist with the additional designation "dermatohistology" or pathology specialist) 	FAQ (24.03.2023) How can the requirement of at least 100 histological lymph node findings be achieved with 40 required primary cases of malignant melanoma per year? Answer: The findings of lymph nodes refers not only to malignant melanoma, but to all tumour entities (not limited to skin).
8.6	Procedures that must be available Immunohistochemical tests Molecular pathology These special services may only be commissioned externally from Pathology Institutes which are to be named on submission of a cooperation agreement. The institutes should have a recognised QM system or valid accreditation or document successful participation in interlaboratory experiments.	FAQ (11.03.2021) Can molecular pathological and immunohistochemical examinations be carried out by the inhouse pathology department or does it have to be a pathological institute? Answer: If immunohistochemical or molecular pathological examinations are carried out in-house, then these can be performed by pathology and/or dermatopathology. If such examinations are performed by an external cooperation partner, then this must be done by a pathological or dermatopathological institute with corresponding competence. The institute is to be named in a cooperation agreement. The institutes should have a recognised QM system or a valid accreditation or prove successful participation in interlaboratory tests.
8.12.1	 8.12 Lymph nodes (LN) All lymph nodes in the surgical specimen are to be examined macroscopically and microscopically. Deviations from the minimum numbers in the Guidelines are to be discussed on an interdisciplinary level. The lymph nodes must be examined in line with the guidelines. The localisation of the lymph node (at least regional versus distance from the tumour) is to be indicated. 	FAQ (14.07.2016) Does the documentation of the lymph nodes have to be done only for the centre patients or for all skin cancer findings of the pathology? Answer: Skin Cancer Patients are sufficient.

8 Pathology

Sec- tion	Requirements	Explanatory remarks by the Skin Cancer Centre	
	The following information should be included in the histopathological report on the sentinel lymph node: detection of nevus or melanoma cells in the case of melanoma cells, indication of prognostically important parameters (e.g. according to GL: largest diameter of the largest tumor cell accumulation, maximum penetration depth of melanoma cells into the lymph node parenchyma, invasion of melanoma cells into the lymph node capsule or capsule rupture, localisation of melanoma cells in perinodal lymph vessels) largest diameter of the micrometastasis		

9 Palliative care and hospice work

Sec-	Requirements	Explanatory remarks by the Skin Cancer Centre
tion.	'	
9.1	Palliative care	FAQ (22.08.2016)
	 The group of target patients for specialised palliative-medical support offers is to be de- fined (SOP). 	How is the sentence "The number of primary cases with non-curable cancer shall be documented" interpreted?
	•	
	The number of primary cases with incurable cancer is to be documented.	Answer: The requirement is to be considered in conjunction with the sentence: "The group of target patients for the specialised palliative care support services shall be defined (SOP)". to be considered. The background to this requirement is the new S3 guideline on palliative care, which, among other things, provides for the early integration of palliative care into the treatment strategy of patients. So far, there are no uniform definitions by the professional societies as to which patients are considered palliative patients and thus as patients who should receive "specialised palliative care support services". In order to improve the integration of palliative care, each centre should therefore define for itself which patients are "target patients for the specialised palliative care support services" and count them in the collective of primary cases.

10 Tumour documentation / Outcome quality

Chap.	Requirements		
10.4	Cooperation with cancer registry Cooperation with the competent 65c cancer registry is to be documented on the basis of	FAQ (13.07.2017) Does each individual centre have to provide evidence of a cooperation agreement?	

10 Tumour documentation / Outcome quality

Chap.	Requirements		
	the cooperation agreement (www.tu-morzentrum.de)	Answer: The cooperation agreements can also be concluded centrally via the Oncology Centre, if available.	
10.6.	Provision of resources The required staff capacity should be made available for the carrying out of documentation tasks and the collection of data (for instance by a cancer registry) (Indicative value: for each 200 primary cases 0.5 full-time position and for each 200 aftercare cases 0.1 full-time position).	FAQ (24.03.2023) Is the specified guideline binding or can it be deviated from? Answer: This is a guideline that serves as orientation for the centres and auditors across all organs. For Skin Cancer Centres, the assessment of the guideline must take into account that epithelial tumours are not documented as comprehensively as melanomas. If there is a deviation from the specified guideline, this must be justified in the audit. It must be clear to the auditors in the audit that the available resources are sufficient	

FAQ's - Indicator Sheet - Skin Cancer Centre

Basic data

Explanation

Each patient can only be counted once per calendar year for 5a) and once for 7) (order according to the headings), but several cases per patient can be counted in the calendar year.

FAQ (01.08.2016)

FAQ (01.08.2016)	Т	
Invasive Malignant Melanoma	Example:	
5. a) Patients with primary disease (= patients with initial diagnosis malignant melanoma)	Mr. S was admitted in 3/2015 with the initial diagnosis of MM at 2 different skin locations. Localisations of the skin: 1x stad. IA and 1x stad. IB = Mr. S is counted once with the highest stage (= IB) for heading 5a). This counting remains, even if further diagnoses with a higher stage occur in the calendar year.	
b) Number of cases with primary disease (= In the calendar year, further diag. malignant melanoma of other localisation, no recurrence, no stage shift)	Mr. S. is counted twice for category 5b) with his diagnoses (IA and IB from 3/2015). 10/2015 Mr. S. has further diag. MM at other localisations (IB and IIB) of the skin, which are neither stage shift nor recurrence of diagnosis 3/2015 =both diagnoses (IB and IIB) are counted for heading 5b).	
6. a) Patients with second/third melanoma at different location (= patient already diagnosed with a malignant melanoma in a previous calendar year. Now: second/third malignant melanoma at a different site).	Ms. U. had already been diagnosed with MM for the first time in 2008. In 4/2015, 1 finding occurred again at a different localisation of the skin (= IA), which is neither a stage shift nor a recurrence of the previous findings. Ms. U is thus counted for rubric 6a) and 6b).	
b) Number of cases with second/third melanoma (= in the calendar year further synchronous/metachronous diagnoses of malignant melanomas at a different location, no recurrence, no stage shift)	In 4/2015, Ms U. receives another diagnosis of MM at a different location (=IIB), i.e. in addition to the case from 4/2015 (=IA), Ms U. is now counted again as a case for category 6b).	
7. Patients with stage shift/recurrence (= patient already diagnosed with a malignant melanoma in a previous or in the current calendar year. Now: recurrence, stage shift including new remote metastasis)	Mr. M. has a recurrence of a primary disease from 3/2014 in 8/2016. The recurrence (= IIC) is counted for heading 7). Other recurrences/stage shifts occurring in Mr. M in this calendar year are NOT counted. If another stage shift/recurrence occurs in the following calendar year, it can be counted again.	
Optional: 8. Patients with ongoing therapy (= patients with ongoing therapy who have not already been counted in the categories 5-7 for the calendar year, counted 1x/calendar year)	Headings 8 and 9 can be filled in optionally. These patients cannot belong to headings 5-7 in parallel.	
Optional: Patients in aftercare (= patients who are not undergoing therapy in aftercare who have not already been counted in the categories 5-7 for the calendar year, counted 1x/calendar year)		
Primary cases patients with malignant melanoma =5a) + 6a)	Basic comment: - Primary cases malignant melanoma = 5a) + 6a) (target value: >= 40)	
Centre pat. = 5a) + 6a) + 7)	- Centre pat. = 5a) + 6a) + 7) (no target value) - Additional to count (optional): 8) u 9)	
All Pat. malignant melanoma (with optional))-	
nous/metachronous diagnoses of malignant melanomas at a different location, no recurrence, no stage shift) 7. Patients with stage shift/recurrence (= patient already diagnosed with a malignant melanoma in a previous or in the current calendar year. Now: recurrence, stage shift including new remote metastasis) Optional: 8. Patients with ongoing therapy (= patients with ongoing therapy who have not already been counted in the categories 5-7 for the calendar year, counted 1x/calendar year) Optional: Patients in aftercare (= patients who are not undergoing therapy in aftercare who have not already been counted in the categories 5-7 for the calendar year, counted 1x/calendar year) Primary cases patients with malignant melanoma =5a) + 6a) Centre pat. = 5a) + 6a) + 7) All Pat. malignant melanoma (with op-	currence (= IIC) is counted for heading 7). Other recurrences/stage shifts occurring in Mr. M in this calendar year are NOT counted. If another stage shift/recurrence occurs in the following calendar year, it can be counted as Headings 8 and 9 can be filled in optionally. These patients cannot belong headings 5-7 in parallel. Basic comment: - Primary cases malignant melanoma = 5a) + 6a) (target value: >= 40) - Centre pat. = 5a) + 6a) + 7) (no target value)	

FAQ (01.08.2016)

How to count patients who are both primary cases and have new distant metastases or recurrence in one calendar year. How are these counted?

Answer:

Based on the new table: 1 x as a patient with primary disease (= 5) and 1 x as a patient with stage shift/recurrence (=7) = 2 centre patients.

FAQ (12.06.2017)

Can line 34 "7. Pat. with stage shift/recurrence" also count pat. with stage shift/recurrence who did not receive the initial diagnosis in the skin cancer centre?

Answer: Yes, the patient does not have to have been treated at the centre when first diagnosed.

Indicator sheet

6	Melanoma: Patients enrolled in a study	Numerator	Patients with a melanoma who were included in a study with an ethical vote	FAQ (12.06.2017) Can patients with secondary distant metastasis also be
		Denomina- tor Target value	Primary cases with a melanoma stages III - IV ≥ 5%	Answer: All patients with malignant melanoma can be counted for the numerator, not only primary cases. FAQ (23.11.2021) Patients who have signed an informed consent form for screening for study participation can be counted for the numerator of the indicator, even if the results of screening examinations carried out with special diagnostics (no routine diagnostics) do not allow the patients to participate in the
7	Sentinel node biopsy (SNB)	Numerator Denominator	SNB surgeries of the denominator with sentinel lymph node confirmed intraoperatively SNB surgeries (multiple mentioning per patient possible)	study. FAQ (14.07.2016) We would like to know whether a frustrated SLNB counts as an intervention performed (= counting for the denominator)? Currently we have assumed this to be the case and in CN 7
		Target value	≥ 90%	these cases therefore appear in the denominator, which makes sense in our eyes. Answer: yes FAQ (26/03/2019) Which OPS codes can be
				counted as SNB surgery? Answer: 5-401.0103 ; 5-401.0x

		1	<u> </u>	. E 404 44 40 : E 404 4
				 5-401.1113 ; 5-401.1x 5-401.5153 ; 5-401.5 x; 5-401.ax
8	Surgical interventions with safety margin defined in the guideline (= malignant melanomas, Merkel cell carcinomas, sarcomas and other rare malignant skin tumours)	Numerator	Surgical interventions with safety margin in primary cases (= malignant melanomas, Merkel cell carcinomas, sarcomas and other rare malignant skin tumours	FAQ (01.08.2016) Are only the operated cases counted or also the partial operations (for patients with tumour resection at multiple locations in the same opera-
		Denomina-		tion)?
		Rate	≥ 30	Answer: Each tumour resection is counted.
				FAQ (01.08.2016) Should plastic reconstructions be counted?
				Answer: No, purely plastic surgery does not count. In the case of tumour resection and plastic coverage in the same procedure, the tumour resection is counted.
				FAQ (20.09.2017) Can all dermatology operations be counted?
				Answer: No, only operations on primary cases can be counted.
9	Surgical interventions with histological margin control (= epithelial tumours)	Numerator Denominator Rate	Surgical interventions with histological margin control in primary cases (= epithelial tumours) ≥ 100	FAQ (01.08.2016) Are only the operated cases counted or also the partial operations (for patients with tumour resection at multiple locations in the same operation)?
				Answer: Each tumour resection is counted.
				FAQ (01.08.2016) If plastic reconstrucons be counted?
				Answer: No, purely plastic surgery does not count. In the case of tumour resection and plastic coverage in the same procedure, the tumour resection is counted.
				FAQ (20.09.2017)

				Can all dermatology operations be counted? Answer: No, only operations on primary cases can be counted.
11	Revision surgery in the case of secondary bleeding after SNB and LAD	Numerator	Revision surgery (OPS: 5-893) because of post-operative secondary bleeding (T81.0) after surgeries of the denominator	FAQ (01.08.2016) How should the counting of complications be done? Answer: The count should be made per partial operation, i.e. each tumour resection is counted.
		Denomina- tor	SNB surgeries (= denominator indicator 7) + therapeutic LADs for stages III (multiple mentioning per patient possible)	
		Rate	≤ 3%	
12	Revision surgery after post-operative wound infections	Numerator	Revision surgery (OPS: 5-893) because of post-operative wound infections (T81.4) after surgeries of the denominator	FAQ (01.08.2016) How should the counting of complications be done? Answer:
		Denomina- tor	Sum numerators Indicators 8 + 9	The count should be made per partial operation, i.e. each tumour resection is counted.
		Rate	≤ 3%	modi resession is sounted.
13	Melanoma: Sentinel node biopsy	Numerator	Primary cases of the denominator where SNB is carried out	FAQ (14.07.2016) We are not quite sure at KN 13 whether the frustrated SLNB also occurs in the numerator. Answer: Yes, the intraoperative frus-
		Denomina- tor	Primary cases cutaneous melonoma with a curative radical excision in case of a tumour density ≤ 2 mm	
		Rate	≥ 80%	trated SLNB is counted for the numerator.
				FAQ (13.06.2017) Is the SNB also mandatory for localisation in the head and neck area?
				Answer: Localisation in the head and neck region is not an argument against performing a sentinel.